

LEGEND

Site Infrastructure:

- Crane
- ▲ Turbine
- Development Platform Area

Zone of Theoretical Visibility ('ZTV'):


- Development Platform

NOTE

The ZTV is based on a development platform height of 7.2m Above Chart Datum. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 5m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 5.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 1 Development Platform ZTV
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:38,500
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Crane
- ▲ Turbine
- Development Platform Area

Zone of Theoretical Visibility ('ZTV'):

- Development Platform

Landscape & Visual Receptors:

- ▨ Conservation Areas
- Gardens and Designed Landscapes

Listed Buildings by Category


- A
- B
- C
- Scheduled Monuments
- Core Paths
- Hebridean Way - Walking Route

NOTE

The ZTV is based on a development platform height of 7.2m Above Chart Datum. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 5m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 5.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 2 Development Platform ZTV Landscape & Visual Receptors
DRAWING NO:	
DOCUMENT SIZE:	A3
SCALE:	1:38,500
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):


- Turbine
- Turbine & Crane

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 3 Turbine & Crane ZTV (NW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):


- Turbine
- Turbine & Crane

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 3 Turbine & Crane ZTV (NE sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine
- Turbine & Crane

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 3 Turbine & Crane ZTV (SW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH

LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane


Landscape Character Areas:

- 317 - Gently Sloping Crofting
- 318 - Linear Crofting
- 319 - Dispersed Crofting
- 321 - Machair
- 322 - Boggy Moorland - Outer Hebrides
- 323 - Rocky Moorland - Outer Hebrides
- 324 - Cnoc and Lochan
- 325 - Rock and Lochan
- 326 - Prominent Hills and Mountains
- 327 - Rounded Rocky Hills - Outer Hebrides
- 328 - Rugged Mountain Massif - Ross & Cromarty
- 334 - Cnocan - Ross & Cromarty
- 336 - Coastal Moorlands and Crofts
- 337 - Wooded and Settled Rocky Coasts

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.



PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 4 Turbine & Crane ZTV Landscape Character (NW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH

LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape Character Areas:


- 317 - Gently Sloping Crofting
- 318 - Linear Crofting
- 319 - Dispersed Crofting
- 321 - Machair
- 322 - Boggy Moorland - Outer Hebrides
- 323 - Rocky Moorland - Outer Hebrides
- 324 - Cnoc and Lochan
- 325 - Rock and Lochan
- 326 - Prominent Hills and Mountains
- 327 - Rounded Rocky Hills - Outer Hebrides
- 328 - Rugged Mountain Massif - Ross & Cromarty
- 334 - Cnocan - Ross & Cromarty
- 336 - Coastal Moorlands and Crofts
- 337 - Wooded and Settled Rocky Coasts


NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 4 Turbine & Crane ZTV Landscape Character (NE sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH





LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape Character Areas:

- 317 - Gently Sloping Crofting
- 318 - Linear Crofting
- 319 - Dispersed Crofting
- 321 - Machair
- 322 - Boggy Moorland - Outer Hebrides
- 323 - Rocky Moorland - Outer Hebrides
- 324 - Cnoc and Lochan
- 325 - Rock and Lochan
- 326 - Prominent Hills and Mountains
- 327 - Rounded Rocky Hills - Outer Hebrides
- 328 - Rugged Mountain Massif - Ross & Cromarty
- 334 - Cnocan - Ross & Cromarty
- 336 - Coastal Moorlands and Crofts
- 337 - Wooded and Settled Rocky Coasts

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 4 Turbine & Crane ZTV Landscape Character (SE sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH

LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape Character Areas:

- 317 - Gently Sloping Crofting
- 318 - Linear Crofting
- 319 - Dispersed Crofting
- 321 - Machair
- 322 - Boggy Moorland - Outer Hebrides
- 323 - Rocky Moorland - Outer Hebrides
- 324 - Cnoc and Lochan
- 325 - Rock and Lochan
- 326 - Prominent Hills and Mountains
- 327 - Rounded Rocky Hills - Outer Hebrides
- 328 - Rugged Mountain Massif - Ross & Cromarty
- 334 - Cnocan - Ross & Cromarty
- 336 - Coastal Moorlands and Crofts
- 337 - Wooded and Settled Rocky Coasts


NOTE


The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT: STORNOWAY DEEP WATER PORT

DRAWING TITLE:	Fig. 4 Turbine & Crane ZTV Landscape Character (SW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH





LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape & Visual Receptors:


- Gardens & Designed Landscapes
- Local Landscape Areas
- National Scenic Areas
- Wildland Areas
- Core Paths
- Hebridean Way - Walking Route
- Hebridean Way - Cycling Route

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 5 Turbine & Crane ZTV Landscape & Visual Receptors (NW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape & Visual Receptors:


- Gardens & Designed Landscapes
- Local Landscape Areas
- National Scenic Areas
- Wildland Areas
- Core Paths
- Hebridean Way - Walking Route
- Hebridean Way - Cycling Route

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 5 Turbine & Crane ZTV Landscape & Visual Receptors (NE sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape & Visual Receptors:


- Gardens & Designed Landscapes
- Local Landscape Areas
- National Scenic Areas
- Wildland Areas
- Core Paths
- Hebridean Way - Walking Route
- Hebridean Way - Cycling Route

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 5 Turbine & Crane ZTV Landscape & Visual Receptors (SE sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



LEGEND

Site Infrastructure:

- Turbine & Crane Locations

Zone of Theoretical Visibility ('ZTV'):

- Turbine & Crane

Landscape & Visual Receptors:

- Gardens & Designed Landscapes
- Local Landscape Areas
- National Scenic Areas
- Wildland Areas
- Core Paths
- Hebridean Way - Walking Route
- Hebridean Way - Cycling Route

NOTE

The ZTV is based on a turbine height of 330m above Highest Astronomical Tide and a crane jib height of 216m Above Ground Level. The receptor viewing height is 1.8m Above Ground Level.

This analysis uses a Digital Terrain Model, with a grid spacing of 50m. This analysis does not take into account manmade features and vegetation. Data source: Ordnance Survey Terrain 50.

PROJECT:	STORNOWAY DEEP WATER PORT
DRAWING TITLE:	Fig. 5 Turbine & Crane ZTV Landscape & Visual Receptors (SW sector)
DRAWING NO:	-
DOCUMENT SIZE:	A3
SCALE:	1:200,000
DATE:	2023-06-20
DRAWN BY:	MW
APPROVED BY:	DH



Registered Office:
Lochview Office, Loch Duntelchaig
Farr, Inverness, IV2 6AW

Telephone: 01808 521 498
Email: info@affriclimited.co.uk
www.affriclimited.co.uk

Title: 113_DRG_05_1 Heritage
Assets







Projection: OSGB 1936/British
National Grid EPSG: 27700


ORDNANCE SURVEY DATA LICENCE

Your use of OS OpenData is subject to the
terms at <http://os.uk/opendata/licence>
Contains Ordnance Survey data © Crown
copyright and database right 2023

Page 1 | Rev No: 1 | 17/11/2023

Legend

-  Contour Lines
-  Deep Water Port V3 Shp
-  Indicative Development Boundary
-  Deep Water South Layout
Herritage Assets
-  (Offshore)
-  (Onshore)





Registered Office:
Lochview Office, Loch Duntelchaig
Farr, Inverness, IV2 6AW

Telephone: 01808 521 498
Email: info@affriclimited.co.uk
www.affriclimited.co.uk

Title: 113_DRG_06_1 Heritage
Assets Settings

Projection: OSGB 1936/British
National Grid EPSG: 27700

ORDNANCE SURVEY DATA LICENCE

Your use of OS OpenData is subject to the
terms at <http://os.uk/opendata/licence>
Contains Ordnance Survey data © Crown
copyright and database right 2023

Page 1 | Rev No: 1 | 20/11/2023

Legend

- Deep Water South Layout
- Indicative Development Boundary
- Conservation_Areas
- Gardens_and_Designed_Landscapes

Heritage Asset Settings

- Conservation Area
- Garden Designed Landscape
- Listed Building Cat A
- Scheduled Monument

ZTV Crane

- 0
- 1
- 2

